



NIGHT&DAY

Covers your awning

POLI LIGHT



www.locomotiva.com.br

Features

- PVC laminate with polyester fabric;
- Tear and puncture resistant;
- High durability;
- Withstands strong traction;
- Anti-UV, anti-fungal and antioxidant additives that prevent the canvas from yellowing and drying out;
- Blocks sunlight;
- 100% waterproof;
- Easy cleaning and maintenance;
- Easy to use when handling and welding;
- Watermark to define the authenticity of the product (engraved on the front);
- The correct use of the tarpaulin is with the watermark facing upwards, never use it inside out;
- 3-year warranty.


Conservation and Cleaning

- Wash the product periodically;
- During cleaning:
 - Avoid washing in intense sunshine;
 - Wet with plenty of running water;
 - Use only neutral soap with a sponge or cloth;
 - Do not use solvents or chemical products;
- Avoid folding, always store rolled up.

Grammage	600g/m ² (± 5%)
Thickness	0,50mm (± 0,02mm)
Roll width	1,40m (± 2cm)




Colors



719


White



740


Pantone Cool Gray 10 C

Gray



709


Crystal



770

Pantone 411 C


Bronze



918

Pantone 575 C


Olive



730

Pantone 2184 C


Blue



921

Pantone 146 C

Golden



737

Pantone 334 C

Dark Green

*Colors for visual reference only, do not use as a color standard.

Durability



Resistance



Awning size



Passage of light

